


 $600\mbox{mm}$ square x $600\mbox{mm}$ deep solid base chamber with a square $600\mbox{mm}$ flat sealed cover.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.



S2-160 Issue: 11/06/2016 Page: 1 of 4

© Copyright




 $600\mbox{mm}$ square x $600\mbox{mm}$ deep solid base chamber with a square $600\mbox{mm}$ flat sealed cover.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.



 S2-160
 Issue: 11/06/2016
 Page: 2 of 4
 © Copyright



 $600\mbox{mm}$ square x $600\mbox{mm}$ deep solid base chamber with a square $600\mbox{mm}$ flat sealed cover.

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.




Page: 3 of 4 S2-160 Issue: 11/06/2016

© Copyright


TYPICAL INSTALLATION


CONCRETE

VERY IMPORTANT
OUTER EDGE "A" OF FRAME
SET 5 - 10MM ABOVE GENERAL
FORECOURT AREA WITH
CONCRETE RAMPED AWAY
OVER 300MM



ALTERNATIVE INSTALLATION ADVICE





600 mm square x 600 mm deep solid base chamber with a square 600 mm flat sealed cover.

S2-160

For reference purposes only. This drawing is not a specification. Order against product code only. To enable continuous improvement of our products, the designs and specifications are subject to change without notice.

FIBRELITE